TOOLS FOR SCHOOLS CHECKLIST

Name: Capitol Region School: John J. Alliso Room or Area: all	Education Council n Polaris Center – Achievement House Building 3 Date Completed:
Signature:	
	Building and Grounds
NA	Food Service
	Integrated pest Management
	Ventilation
	Walkthrough Inspection
	Waste Management



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

Name: See Cover Sheet School: Polaris Bldg 3		
School: Polaris 13/69 3		
Room or Area:	Date Completed:	10/22/2029
Signature: 1 1 1 2		

1.	BUILDING MAINTENANCE SUPPLIES	Yes	Na	BI / /
1a.	Developed appropriate procedures and stocked supplies for spill control			2
10.	Reviewed supply labels	,		· ·
1d.	the outdoors			9
	containers			Z) Zi
	Ensured that supplies are being used according to manufacturers' instructions			,
1g.	Ensured that chemicals, chemical-containing wastes, and containers are			7
1h.	disposed of according to manufacturers' instructions			b
1 i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied			Zî
1j.	Ventilated affected areas during and after the use of odorous or hazardous chemicals			0
2.	GROUNDS MAINTENANCE SUPPLIES			
	Stored grounds maintenance supplies in appropriate area(s)			Ø
	instructions	_		7
2c.	Established and followed procedures to minimize exposure to fumes from supplies	<u></u>		4
	Reviewed and followed manufacturers' guidelines for maintenance			Á
2e. 2f.	Replaced portable gas cans with low-emission cans	_		P
•	containers	3		9
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	ב		Þ
3.	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	j/		
3b.	Used high efficiency vacuum bags	2		
	Used proper dusting techniques			
	Wrapped feather dusters with a dust cloth			

4.	FLOOR CLEANING	Yes	No	N/A
4b.	Established and followed schedule for vacuuming and mopping floors Cleaned spills on floors promptly (as necessary) Performed restorative maintenance (as necessary)	/Z		
5 .	DRAIN TRAPS			
	Poured water down floor drains once per week (about 1 quart of water)			0 0
	MOISTURE, LEAKS, AND SPILLS			
6a.	Checked for moldy odors	. F		
ob.	indicate periodic leaks)			
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	. 🏚		
6d.	Checked that windows, windowsills, and window frames are free of condensate	. d		
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	٠,		
6f.	Ensured the following areas are free from signs of leaks and water damage:	٠.		_
	Indoor areas near known roof or wall leaks			
	Walls around leaky or broken windows			
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes	•	0	
7.	COMBUSTION APPLIANCES			
7a.	Checked for odors from combustion appliances	Ø		
	Checked appliances for backdrafting (using chemical smoke)			7
	Inspected exhaust components for leaks, disconnections, or deterioration Inspected flue components for corrosion and soot			7
				•
	PEST CONTROL			
8a.	Completed the Integrated Pest Management Checklist	Z		





- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

Name: Capitol Region	Education Council	
School: John J. Alliso	n Polaris Center – Achievement House Building 3	
Room or Area: all	Date Completed: 10 - 26 - 75	
Signature:	macentre	

1.	OFFICIAL POLICY STATEMENT	Yes	No	N/A
1 a .	Developed or located the school's official policy statement for integrated pest management (IPM)	2		
2.	DESIGNATING PEST MANAGEMENT ROLES			
2b.	Assigned and trained a qualified person to be the pest manager			0
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	🗹	۵	
2d.	Encouraged parents to learn about IPM practices and implement them at home	🗹		
2e. 2f.	Developed a program to educate and train all IPM participants Included language about IPM into contracts with pest management	🖵		
22.	professionals	🗷		
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	_Zi		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)			۵
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	Dr.		0
4b.	Identified potential pest habitats in buildings and grounds		_	0
	Pinpointed the source of any current pest problems			
4d.	Monitored to determine the extent of pest problems and to estimate pest populations	<u>, D</u>		
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	. /		
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and potential habitat	. <u>.</u>		

5. SETTING ACTION THRESHOLDS 5a. Evaluated all available data obtained through inspecting, identifying, and monitoring 5b. Determined how many pests the school buildings, grounds, and occupants can tolerate 5c. Set action thresholds 6. PREVENTIVE STRATEGIES INDOOR SITES 6a. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Entryways • Classrooms • Locker rooms • Offices • Bathrooms • Food preparation and serving areas • Rooms with extensive plumbing • Other ______ _ _ **OUTDOOR SITES** 6b. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Playgrounds • Parking lots • Teaching gardens or greenhouses • Loading docks 🗹 • Areas with ornamental shrubs and trees • Other 7. PESTICIDE USE AND STORAGE 7a. Explored alternative pest management methods before concluding that pesticides were necessary 7b. Ensured that pest management professionals integrate IPM into their pest management methods 7c. Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules 7d. Reviewed and followed all label instructions on pesticides and learned 7e. Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested plants in the area 7f. Used protective clothing or equipment when applying pesticides 7g. Placed all pesticides in tamper-resistant bait boxes or locations that are inaccessible to children and non-target species





7. PESTICIDE USE AND STORAGE (cont.)

	runway of the box	Yes	No	N/
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	ø		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	A		
7k.		7 2	۵	۵
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	Ø		
7m.	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	<i>.</i> ≠		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate	D'		
7.	the environment	<u> </u>		UI II
	Ensured that pesticides are stored in their original containers and all lids		J	<u></u>
	are securely fastened	4		
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	<u> </u>		
8.	EVALUATING RESULTS AND RECORD KEEPING			
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	7		
8b.	Ensured that pesticide records necessary to meet all state, local, and school	⁄ ⊿		
8c.	Ensured that each log book contains the following items:			
	Copy of the pest management plan	4		
	• Service schedules for maintenance of buildings and grounds	7		
	Current EPA-registered labels	7		
	• Current Material Safety Data Sheets (MSDS) for each pesticide project 5			
	Pest surveillance data sheets			
	• Diagram noting the location of pest activity, traps, and bait stations	1		



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

	Name: Capitol Region Education Council School: John J. Allison Polaris Center – Achievement House Building 3 Room or Area: all Date Completed: 10/22/2025 Signature:			
1.	OUTDOOR AIR INTAKES			
	example, a fire escape floor plan)	es 1	No	N/A
1b.	Ensured that the ventilation system was on and operating in "occupied" mode	A		0
AC	CTIVITY 1: OBSTRUCTIONS			
1c.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	1	o o	
1 d.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	6		
40	CTIVITY 2: POLLUTANT SOURCES			
	Checked ground-level intakes for pollutant sources (dumpsters, loading			
,	docks, and bus-idling areas)	1		
1f.	Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,	ı		
	toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)	7		
10.	Resolved any problems with pollutant sources located near outdoor air	1	_	J
- 5		Á		
AC	TIVITY 3: AIRFLOW			
	Obtained chemical smoke (or a small piece of tissue paper or light plastic)			
li.	Confirmed that outdoor air is entering the intake appropriately	Δ		
2.	SYSTEM CLEANLINESS			
AC	TIVITY 4: AIR FILTERS			
	Replaced filters per maintenance schedule	á		
	Shut off ventilation system fans while replacing filters (prevents dirt from	1		
20	blowing downstream)	a 1	J	
	Confirmed proper fit of filters to prevent air from bypassing (flowing	-	J	J
	around) the air filter			
2e.	Confirmed proper installation of filters (correct direction for airflow)	រ		

2. SYSTEM CLEANLINESS (continued)

	TIVITY 5: DRAIN PANS			
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yes 🔁	No □	
2g.	Cleaned drain pans	🔼		
2h.	Checked drain pans for mold and mildew	7		
	TIVITY 6: COILS			
2i.	Ensured that heating and cooling coils are clean	🗷		
	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator	_1	_	
	(air-mixing chamber and fan blades) is clean	. 4		
2k.	Ensured that ducts are clean	Α.		
	TIVITY 8: MECHANICAL ROOMS		_	_
	Checked mechanical room for unsanitary conditions, leaks, and spills			
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies			
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
	Ensured that air dampers are at least partially open (minimum position)	. Z		
3b.	Ensured that minimum position provides adequate outdoor air	m,		
	for occupants	. /		
	TIVITY 9: CONTROLS INFORMATION		•	
3c.	Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings,			
	and controls operations manuals (often uniquely designed)	./		
		•		
	TIVITY 10: CLOCKS, TIMERS, SWITCHES		_	_
	Turned summer-winter switches to the correct position			
	Set time clocks appropriately	هر.	_	
3t.	Ensured that settings fit the actual schedule of building use (including night/weekend use)	7 0		
	mgni weekend use)		_	_
AC'	FIVITY 11: CONTROL COMPONENTS			
	Ensured appropriate system pressure by testing line pressure at both the			,
	occupied (day) setting and the unoccupied (night) setting			ø
	Checked that the line dryer prevents moisture buildup			7
3i.	Replaced control system filters at the compressor inlet based on the			
	compressor manufacturer's recommendation (for example, when you blow down the tank)			Ø
3j.	Set the line pressure at each thermostat and damper actuator at the proper			1
	level (no leakage or obstructions)			
AC.	TIVITY 12: OUTDOOR AIR DAMPERS			
	Ensured that the outdoor air damper is visible for inspection	P		
31.	Ensured that the recirculating relief and/or exhaust dampers are visible for inspection	2		
3m.	Ensured that air temperature in the indoor area(s) served by each	,		
	outdoor air damper is within the normal operating range	Þ		



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes.	No	N/A
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on		_	
-	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	<u> </u>		
•	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F			
3r.	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight			A A
	The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)			Ø
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals		۵	7
3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)			Ø
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	Ø		
clos	TE: HVAC systems with water coils need protection from the cold. The freeze- e the outdoor air damper and disconnect the supply air when tripped. The typ ge is 35°F to 42°F.			
	TIVITY 14: MIXED AIR THERMOSTATS			
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	#		
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	6		
AC'	FIVITY 15: ECONOMIZERS			
	Confirmed proper economizer settings based on design specifications or local practices	7		
NOT	E: The dry-bulb is typically set at 65°F or lower.			
	Checked that sensor on the economizer is shielded from direct sunlight	,		
	exhaust/relief air, and recirculated air), per the design specifications		_	
load Dry- and	E: Economizers use varying amounts of cool outdoor air to assist with the co of the room or rooms. There are two types of economizers, dry-bulb and enthe bulb economizers vary the amount of outdoor air based on outdoor temperate enthalpy economizers vary the amount of outdoor air based on outdoor temp humidity level.	ialpy. ure,		

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system. perform as required....... 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor 4f. Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) If fans are running but air is not flowing toward the exhaust intake, check for the following: Inoperable dampers Obstructed, leaky, or disconnected ductwork

· Undersized or improperly installed fan

· Broken fan belt





5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kit and labs by keeping them under negative pressure (as compared to surrounding spa		s,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces		
Stand outside the room with the door slightly open while checking airflow high and the door opening (see "How to Measure Airflow").	low ii	n
5c. Ensured that air is flowing toward the exhaust intake		
ACTIVITY 21: EXHAUST DUCTWORK		
5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	ū	
6. QUANTITY OF OUTDOOR AIR		
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS		
NOTE: Refer to "How to Measure Airflow" for techniques.		
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit		
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration		
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet		
the recommended levels in Table 1		



Walkthrough Inspection Checklist

lame: Capitol Region Education Council	
School: John J. Allison Polaris Center – Achievement House building 3	
School: John J. Allison Polaris Center – Achievement House Building 3 Room or Area: all Date Completed: 022/2025	
/ 7 10 / / / / /	
Signature: / / Wull V /	

- 1									
- 1	n	0	P 100		ct	1		m	ĸ
- 1		3	ш	ч	u	.1	u		2

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1.	GROUND LEVEL	26	No	N/A
1a.		,		,,
1b.	Ensured there are no obstructions blocking air intakes			
	Checked for nests and droppings near outdoor air intakes			
1d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes			٥
1e.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	4		
1f.	Ensured that vehicles avoid idling near outdoor air intakes	מ		
1g.	Minimized pesticide application	_		P
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)	Z		-
1i.	Ensured that sprinklers spray away from the building and outdoor air intakes			
1j.	Ensured that walk-off mats are used at exterior entrances and that	7	_	
-,,	they are cleaned regularly	7		
2.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Checkl	ist)		
2b. 2c. 2d. 2e.	Ensured that the roof is in good condition		000000	000000
	Ensured that air from plumbing stacks and exhaust outlets flows away			
	from outdoor air intakes	Δ		
3.	ATTIC			
	Checked for evidence of roof and plumbing leaks			
3b.	Checked for birds and animal nests	1		
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	27		
4b.	Ensured that no obstructions exist in supply and exhaust vents	2		
4c.	Checked for odors	7		
4d.	Checked for odors	ົ້າ		

4.	GENERAL CONSIDERATIONS (continued)	Ves	No	N/A
4e.	Checked for signs of water damage			
4f.				
	Noted and reviewed all concerns from school occupants	. / 2		
5 .	BATHROOMS AND GENERAL PLUMBING			
	Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance:	. #		
	Water is poured down floor drains once per week (approx. 1 quart of water)	4		
	Water is poured into sinks at least once per week (about 2 cups of water)	. 🗗		
	Toilets are flushed at least once per week	. Ź		
6.	MAINTENANCE SUPPLIES			
6a.	Ensured that chemicals are used only with adequate ventilation and when			
	building is unoccupied	. /		
6b.	Ensured that vents in chemical and trash storage areas are operating			-1
	properly			Ą
	Ensured that portable fuel containers are properly closed	. 🖵		4
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have			_A
	been serviced and maintained according to manufacturers' guidelines	. 🔟		A
7 .	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors	/		
7b.	Ensured that combustion appliances have flues or exhaust hoods	. 🗖		7
7c.	Checked for leaks, disconnections, and deterioration			4
	Ensured there is no soot on inside or outside of flue components			
8.	OTHER			
8a.	Checked for peeling and flaking paint (if the building was built before	_	_	
	1980, this could be a lead hazard)		<u>.</u>	Z.
8b.	Determined date of last radon test			A



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: Capitol Region Education Council

School: John J. Allison Polaris Center – Achievement House Building 3

Room or Area: all Date Completed: 10 - 75

1.	WASTE MANAGEMENT	Yes	No	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	z /		
1b.	Ensured that waste containers are lined	Ţ Z		
1c.	Ensured that waste from art, science, vocational classes, etc., are	′.		
	handled separately	9/		
1d.	Labeled recycling bins clearly	/		
1e.	Ensured number of bins and dumpsters is adequate	/		
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes,			
	doors, and operable windows in relation to prevailing winds)	. Z		
	Ensured waste containers are emptied regularly			
1h.	Ensured appropriate waste removal schedule	' 🔁		
1i.	Ensured waste is stored in a well-ventilated room	. 5 y		
1j.	Ensured any exhaust fans in the room are operating properly	Ž		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	J	Q	