TOOLS FOR SCHOOLS CHECKLIST

School: John J Room or Area: Signature:	Region Education Council J. Allison Polaris Center – Connections Building 4 all Date Completed: Building and Grounds
NA	Food Service
	Integrated pest Management
	Ventilation
	Walkthrough Inspection
	Waste Management



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

	Name: Capitol Region Education Council	
1	School: John J. Allison Polaris Center – Connections Building 4 Room or Area: all Date Completed: 0/22/2029	
1	Room or Area: all Date Completed:	-
٤	Signature:	

1.	BUILDING MAINTENANCE SUPPLIES	/oc	No	NI/A
	Developed appropriate procedures and stocked supplies for spill control Reviewed supply labels	O,		Z
1c.	Ensured that air from chemical and trash storage areas vents to the outdoors			Ø
	Stored chemical products and supplies in sealed, clearly labeled containers			'
1e. 1f.				7
lg.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions			7
1h. 1i.	Substituted less- or non-hazardous materials (where possible)			4
11. 1j.	when the school is unoccupied			Ø
٠,٠	hazardous chemicals	ב		Þ
2.	GROUNDS MAINTENANCE SUPPLIES			
2a. 2b.	Stored grounds maintenance supplies in appropriate area(s)			7
2c.	Established and followed procedures to minimize exposure to fumes from supplies			ø
	Reviewed and followed manufacturers' guidelines for maintenance			7
2e. 2f.	Replaced portable gas cans with low-emission cans			′ _
2g.	Ensured that chemicals, chemical-containing wastes, and containers are			7
	disposed of according to manufacturers' instructions]		7
3.	DUST CONTROL			
3b.	Installed and maintained barrier mats for entrances	2		
3d.	Used proper dusting techniques Wrapped feather dusters with a dust cloth Cleaned air return grilles and air supply yents	2		

4.	FLOOR CLEANING Yes	Nο	N/A
5.	DRAIN TRAPS		
5b.	Poured water down floor drains once per week (about 1 quart of water)		
6.	MOISTURE, LEAKS, AND SPILLS		
6a.	Checked for moldy odors		۵
	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)		
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)		
	condensate		
	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate		
6f.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks		
7.	COMBUSTION APPLIANCES		
7b. 7с.	Checked for odors from combustion appliances		
3.	PEST CONTROL		
Ba.	Completed the Integrated Pest Management Checklist		





- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

Name: Capitol Region Education Council	
School: John J. Allison Polaris Center – Connections Building 4	
Room or Area: all Date Completed: 10 -20-25	
Signature: Danie andll	

1.	OFFICIAL POLICY STATEMENT	Yes	No	N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	9	<u></u>	,,
2.	DESIGNATING PEST MANAGEMENT ROLES	/		
2b.	Assigned and trained a qualified person to be the pest manager		<u> </u>	0
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	<u>p</u>		
	Encouraged parents to learn about IPM practices and implement them at home	, <u>9</u>	0	0
	Developed a program to educate and train all IPM participants Included language about IPM into contracts with pest management professionals	D r	J 0	0
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)			ח
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)		<u> </u>	<u> </u>
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points,	ሐ	П	
4b.	food, water, and harborage sites			
	Pinpointed the source of any current pest problems	<u>Z</u>		
	Monitored to determine the extent of pest problems and to estimate pest populations	/ ,/a		
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	(. [2]		
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and potential habitat	/ .和		

5.	SEITING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	Yes ⊄⊡	No	N/
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate			0
5c.	Set action thresholds	₽		
6.				
	DOOR SITES			
6a.	Implemented appropriate strategies to prevent pests from inhabiting the			
	• Entryways			
	• Classrooms			
	Gymnasiums Locker rooms			
	• Offices	~~~	_	0
	• Staff lounges			
	• Bathrooms			
	Food preparation and serving areas			
	Rooms with extensive plumbing	_		
	Maintenance areas			
	• Other			
-	ITDOOR SITES Implemented appropriate strategies to prevent pests from inhabiting the f Playgrounds			
	• Parking lots	_		
	Lawns and athletic fields Teaching gardens or greenhouses			
	Loading docks	<u>.</u>		
	• Dumpsters			
	Areas with ornamental shrubs and trees			
	• Other			
7.	PESTICIDE USE AND STORAGE			
	Explored alternative pest management methods before concluding that pesticides were necessary	سو		
	Ensured that pest management professionals integrate IPM into their pest management methods	2		
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules			
7d.	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals			
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested	<u></u>		
7£	plants in the area		<u></u>	
	Placed all pesticides in tamper-resistant bait boxes or locations that are		J	_
ıg.	inaccessible to children and non-target species			





7 .	PESTICIDE USE AND STORAGE (cont.)			
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box		No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	🖳		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters			
	Ensured that parents are notified of upcoming pesticide applications through letters			
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	. p		
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	۵.		-
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate	·/		
70	the environment	•		
	Ensured that pesticides are stored in their original containers and all lids are securely fastened			_
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system		_ _	_
8.	EVALUATING RESULTS AND RECORD KEEPING			
	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept		٥	
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained		0	
8c.	Ensured that each log book contains the following items: • Copy of the pest management plan			
	Service schedules for maintenance of buildings and grounds Current EPA-registered labels			
	Current Material Safety Data Sheets (MSDS) for each pesticide project		<u> </u>	0
	Pest surveillance data sheets	么		
	• Diagram noting the location of pest activity, traps, and bait stations			



- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

F	Name: Capitol Region Education Council School: John J. Allison Polaris Center – Connections Building 4 Room or Area: all Signature:			
1.	OUTDOOR AIR INTAKES			
1a.		Yes	No	N/A
1b.	example, a fire escape floor plan)	. 7° . p		0
AC	CTIVITY 1: OBSTRUCTIONS			
1c.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	. z		
1 d.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	. 7	_	٥
AC	TIVITY 2: POLLUTANT SOURCES			
le.	Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)	9		
lf.	Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from	Γ 2 1		_
1g.	air-conditioning cooling towers)		u	
Ų	intakes (e.g., relocated dumpster or extended exhaust pipe)	P	0	
AC	TIVITY 3: AIRFLOW			
	Obtained chemical smoke (or a small piece of tissue paper or light plastic) Confirmed that outdoor air is entering the intake appropriately			
11.		<u>ا</u>	_	.
2.	SYSTEM CLEANLINESS			
	TIVITY 4: AIR FILTERS	_1		
	Replaced filters per maintenance schedule	7	J	_
	blowing downstream)			
	Vacuumed filter areas before installing new filters	1		J
	around) the air filter	A		

2e. Confirmed proper installation of filters (correct direction for airflow).........

2. SYSTEM CLEANLINESS (continued)

ACTIVITY 5: DRAIN PANS Yes No N/A 2f. Ensured that drain pans slant toward the drain (to prevent water from **ACTIVITY 6: COILS ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS** 2i. Ensured that the interior of air-handling unit(s) or unit ventilator **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) 3b. Ensured that minimum position provides adequate outdoor air **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, **ACTIVITY 10: CLOCKS, TIMERS, SWITCHES** 3d. Turned summer-winter switches to the correct position 3f. Ensured that settings fit the actual schedule of building use (including **ACTIVITY 11: CONTROL COMPONENTS** 3g. Ensured appropriate system pressure by testing line pressure at both the 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you blow down the tank)...... 3j. Set the line pressure at each thermostat and damper actuator at the proper **ACTIVITY 12: OUTDOOR AIR DAMPERS** 31. Ensured that the recirculating relief and/or exhaust dampers are visible 3m. Ensured that air temperature in the indoor area(s) served by each



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)					
	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	. /	No □	N/A		
	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on					
•	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F					
	position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F	_				
3r.	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight	. 🗆		P GBB		
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.					
	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals	. 🗅	۵	7		
3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	. 🗆	<u> </u>	A		
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	A	0	۵		
clos	TE: HVAC systems with water coils need protection from the cold. The freeze e the outdoor air damper and disconnect the supply air when tripped. The tyge is 35°F to 42°F.	-stat pical	may trip			
AC'	TIVITY 14: MIXED AIR THERMOSTATS					
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	7				
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	<i>Z</i>				
AC'	FIVITY 15: ECONOMIZERS					
	Confirmed proper economizer settings based on design specifications or local practices	凶		ū		
NOTE: The dry-bulb is typically set at 65°F or lower.						
	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air,					
load Dry and	exhaust/relief air, and recirculated air), per the design specifications TE: Economizers use varying amounts of cool outdoor air to assist with the colof the room or rooms. There are two types of economizers, dry-bulb and ent-bulb economizers vary the amount of outdoor air based on outdoor temperal enthalpy economizers vary the amount of outdoor air based on outdoor temperal humidity level.	- coolin halpy ture,	<i>'</i> .	J		

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles / NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply 4f. Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)...... 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) If fans are running but air is not flowing toward the exhaust intake, check for the following: • Inoperable dampers · Obstructed, leaky, or disconnected ductwork

· Undersized or improperly installed fan

· Broken fan belt





5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).				
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	No 🗆	N/		
Stand outside the room with the door slightly open while checking airflow high and the door opening (see "How to Measure Airflow").		'n		
5c. Ensured that air is flowing toward the exhaust intake				
ACTIVITY 21: EXHAUST DUCTWORK				
5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	´ .	_		
6. QUANTITY OF OUTDOOR AIR				
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS				
NOTE: Refer to "How to Measure Airflow" for techniques.				
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit				
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration	_			
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		٥		
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES				
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1				
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet				
the recommended levels in Table 1				



Walkthrough Inspection Checklist

Name: Capitol Region Education Council	·
School: John J. Allison Polaris Center – Connections Building 4	
Room or Area: al Date Completed: 10/22/2025 Signature:	

	-		- 4		
-In	sti	78 B	CT	\mathbf{a}	nc
1115	311	u	UL	ıv	

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1.	GROUND LEVEL	Yes	No	N/A
1b. 1c.	Ensured that ventilation units operate properly Ensured there are no obstructions blocking air intakes Checked for nests and droppings near outdoor air intakes	9/ 9/		
	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	A		
1f. 1g.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings) Ensured that vehicles avoid idling near outdoor air intakes		0	9
	Ensured that there is proper drainage away from the building (including roof downspouts)	9		
1i.	Ensured that sprinklers spray away from the building and outdoor air intakes Ensured that walk-off mats are used at exterior entrances and that	p		
1j.	they are cleaned regularly	/ 2		
2.	ROOF			
Whi	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist,).	
2c. 2d. 2e. 2f.	Ensured that the roof is in good condition Checked for evidence of water ponding Checked that ventilation units operate properly (air flows in) Ensured that exhaust fans operate properly (air flows out) Ensured that air intakes remain open, even at minimum setting Checked for nests and droppings near outdoor air intakes Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	\$ \$ \$		
3.	ATTIC			
3a. 3b.	Checked for evidence of roof and plumbing leaks	A 4		
4.	GENERAL CONSIDERATIONS			
	Ensured that temperature and humidity are maintained within acceptable ranges	9		
4b. 4c. 4d	Ensured that no obstructions exist in supply and exhaust vents	(<u>/</u> 2)		0 0

4.	GENERAL CONSIDERATIONS (continued)	29	No	N/A
4f.	Checked for signs of water damage	<u> </u>		
_	Noted and reviewed all concerns from school occupants			
5 .	BATHROOMS AND GENERAL PLUMBING			
	Ensured that bathrooms and restrooms have operating exhaust fans	2)		
	Water is poured down floor drains once per week (approx. 1 quart of water)			
	Water is poured into sinks at least once per week (about 2 cups of water)			
	Toilets are flushed at least once per week			
6.	MAINTENANCE SUPPLIES			
6a.	Ensured that chemicals are used only with adequate ventilation and when			
	building is unoccupied	2		
6b.	Ensured that vents in chemical and trash storage areas are operating	_	_	_
	properly) Z
	Ensured that portable fuel containers are properly closed			
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	ב		ZÍ
	been serviced and maintained according to maintacturers guidennes	_	_	_
7 .	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors	5		
7b.	Ensured that combustion appliances have flues or exhaust hoods			Ø
	Checked for leaks, disconnections, and deterioration			
	Ensured there is no soot on inside or outside of flue components			Ø
8.	OTHER			
ъa.	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	1	П	ΓΛ
የኑ	Determined date of last radon test			Z
ov.	Determined date of last fadori test	-		7-



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: Capitol Region Education Council

School: John J. Allison Polaris Center – Connections Building 4

Room or Area: all Date Completed: 10 - 26 - 25

Signature: 10 - 26 - 25

1.	WASTE MANAGEMENT	Yes	No	N/A
1a.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	. Z		٥
1b.	Ensured that waste containers are lined	./		
1c.	Ensured that waste from art, science, vocational classes, etc., are	′		
	handled separately	. 🔼		
1 d.	Labeled recycling bins clearly	. Z I		
1 e.	Ensured number of bins and dumpsters is adequate	. 4		
	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	9.		
1g.	Ensured waste containers are emptied regularly	.JZ		
1h.	Ensured appropriate waste removal schedule	9		
1i.	Ensured waste is stored in a well-ventilated room	. Z		
1j.	Ensured any exhaust fans in the room are operating properly	./		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	2		