TOOLS FOR SCHOOLS CHECKLIST

	on Education Council et School – Marsha Yulo Annex Date Completed:
Signature:	
	Building and Grounds
NA	Food Service
- 1	•
	Integrated pest Management
	Ventilation
,	
	Mallahan and Inconnetion
	Walkthrough Inspection
	Waste Management



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

School: River Street School – Marsha Yulo Annex Room or Area; Date Completed: OPELIONS Signature: 1. BUILDING MAINTENANCE SUPPLIES 1a. Developed appropriate procedures and stocked supplies for spill control		Name: Capitol Region Education Council			
1. BUILDING MAINTENANCE SUPPLIES 1a. Developed appropriate procedures and stocked supplies for spill control		School: River Street School - Marsha Yulo Annex			
1. BUILDING MAINTENANCE SUPPLIES 1a. Developed appropriate procedures and stocked supplies for spill control		Room or Area; Date Completed: 10/22/2025			
1. BUILDING MAINTENANCE SUPPLIES 1a. Developed appropriate procedures and stocked supplies for spill control		Simply of hold of Comments			_
1a. Developed appropriate procedures and stocked supplies for spill control		Signature:			
1a. Developed appropriate procedures and stocked supplies for spill control					
1a. Developed appropriate procedures and stocked supplies for spill control	1.	BUILDING MAINTENANCE SUPPLIES			81/4
1b. Reviewed supply labels					
1c. Ensured that air from chemical and trash storage areas vents to the outdoors	la.	Reviewed supply labels	🗹		$\overline{}$
the outdoors	10.	Ensured that air from chemical and trash storage areas vents to	/		
1e. Researched and selected the safest products available	10.	the outdoors	🗖		Z
1e. Researched and selected the safest products available	1d.	Stored chemical products and supplies in sealed, clearly labeled			
If. Ensured that supplies are being used according to manufacturers' instructions		containers		_	
instructions	1e.	Researched and selected the safest products available	😃	ш	
Ig. Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	1f.	Ensured that supplies are being used according to manufacturers'		П	□ #
disposed of according to manufacturers' instructions	1~			_	T
1h. Substituted less- or non-hazardous materials (where possible)	ıg.	disposed of according to manufacturers' instructions	🗆		⊿
1i. Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	1h.				4
1j. Ventilated affected areas during and after the use of odorous or hazardous chemicals		Scheduled work involving odorous or hazardous chemicals for periods			٠.
hazardous chemicals			🗖		7
2a. Stored grounds maintenance supplies in appropriate area(s)	1j.	Ventilated affected areas during and after the use of odorous or	П		, Dat
2a. Stored grounds maintenance supplies in appropriate area(s)		hazardous chemicals	. 🖵	_	7
2a. Stored grounds maintenance supplies in appropriate area(s)	2	COUNTS MAINTENANCE SUPPLIES			
2b. Ensured that supplies are used and stored according to manufacturers' instructions			_	_	_
instructions	2a.	Stored grounds maintenance supplies in appropriate area(s)	. 🖵		P
2c. Established and followed procedures to minimize exposure to furnes from supplies	2b.	Ensured that supplies are used and stored according to manufacturers		П	71
from supplies	20	Established and followed procedures to minimize exposure to fumes	. —		_
2d. Reviewed and followed manufacturers' guidelines for maintenance	20.	from supplies	. 🗆		ø
2e. Replaced portable gas cans with low-emission cans	2d.	Reviewed and followed manufacturers' guidelines for maintenance	. 🗆		Ż
containers	2e.	Replaced portable gas cans with low-emission cans	. 🗆		Ø
2g. Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	2f.	Stored chemical products and supplies in sealed, clearly-labeled		_	<i>'</i>
disposed of according to manufacturers' instructions 3. DUST CONTROL 3a. Installed and maintained barrier mats for entrances 3b. Used high efficiency vacuum bags 3c. Used proper dusting techniques 3d. Wrapped feather dusters with a dust cloth			. 💶	ш	1
3a. Installed and maintained barrier mats for entrances 3b. Used high efficiency vacuum bags 3c. Used proper dusting techniques 3d. Wrapped feather dusters with a dust cloth	2g.	Ensured that chemicals, chemical-containing wastes, and containers are	П		
3a. Installed and maintained barrier mats for entrances 3b. Used high efficiency vacuum bags 3c. Used proper dusting techniques 3d. Wrapped feather dusters with a dust cloth		disposed of according to manufacturers instructions	. 🖵	_	1
3a. Installed and maintained barrier mats for entrances 3b. Used high efficiency vacuum bags 3c. Used proper dusting techniques 3d. Wrapped feather dusters with a dust cloth	2	DUST CONTROL			′
3b. Used high efficiency vacuum bags			- 4		
3c. Used proper dusting techniques					
3d. Wrapped feather dusters with a dust cloth		Used high efficiency vacuum bags			
		Used proper dusting techniques) 	
3e Cleaned air return grilles and air supply venis		Cleaned air return grilles and air supply vents	Z	<u> </u>	

4.	FLOOR CLEANING	Yes	No	N/A	
4a. 4b. 4c.	Established and followed schedule for vacuuming and mopping floors Cleaned spills on floors promptly (as necessary)		0 0		NO E
5 .	DRAIN TRAPS				NEW IS
5b.	Poured water down floor drains once per week (about 1 quart of water)		_ 🗖	0	6 d
	MOISTURE, LEAKS, AND SPILLS				
6a.	Checked for moldy odors	占			
	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	Ø	۵		
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	ø			
6d.	Checked that windows, windowsills, and window frames are free of condensate	/			
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate				
6f.	Ensured the following areas are free from signs of leaks and water damage:		_	_	
	Indoor areas near known roof or wall leaks				
	Walls around leaky or broken windows				
	Floors and ceilings under plumbing	Z)			
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes	Ź			
7.	COMBUSTION APPLIANCES				
7a.	Checked for odors from combustion appliances	ZÎ			
7b.	Checked appliances for backdrafting (using chemical smoke)			1	
7c.	Inspected exhaust components for leaks, disconnections, or deterioration			N	
7d.	Inspected flue components for corrosion and soot			Ø	
8.	PEST CONTROL				
	LOT CONTINCE				



- Read the IAQ
 Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

	Name: Capitol Region Education Council			-
	School: River Street School – Marsha Yulo Annex			_
	Room or Area: all Date Completed: 10 - 25 - 25			
	Signature: Dandle			
	OFFICIAL POLICY STATEMENT	Yes	No	N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	/	0	
2.	DESIGNATING PEST MANAGEMENT ROLES	f		
2b.	Assigned and trained a qualified person to be the pest manager Involved decision makers in the IPM program	<u>5</u>	0	<u> </u>
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter			0
	Encouraged parents to learn about IPM practices and implement them at home	. , 6,		٥
2e. 2f.	Developed a program to educate and train all IPM participants Included language about IPM into contracts with pest management	🔁		
41.	professionals	9		
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	a limit of the select health and fourth on			
	preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	🗗		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	 		
4.	INSPECTING, IDENTIFYING, AND MONITORING			
	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	9		
4b.	Identified potential pest habitats in buildings and grounds	/2		
4c.	Pinpointed the source of any current pest problems	طر.؛		

4d. Monitored to determine the extent of pest problems and to estimate pest

4e. Developed plans to modify habitat (for example, exclusion, repair, and

4f. Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and

sanitation efforts) to prevent or resolve any pest problems

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	Yes	No	N/A
	Determined how many pests the school buildings, grounds, and occupants can tolerate			
5c.	Set action thresholds			
6.	PREVENTIVE STRATEGIES			
INI	OOOR SITES	Call aurin	a orc	
6a.	Implemented appropriate strategies to prevent pests from inhabiting the f	Ollowill	g are	as.
	• Entryways]	
	• Classrooms			
	• Gymnasiums			
	• Locker rooms			
	• Offices	9		
	• Staff lounges	<i>.</i>	0	
	• Bathrooms		'n	_
	Food preparation and serving areas	🖢		_
	• Rooms with extensive plumbing			0
	Maintenance areas	D	n.	_
	• Other		_	_
οU	TDOOR SITES			
6b.	Implemented appropriate strategies to prevent pests from inhabiting the	followin	g are	eas:
	Playgrounds		-	_
	Parking lots	مرحكسك	. 🛄	
	• Lawns and athletic fields			
	Teaching gardens or greenhouses			JO
	Loading docks	Z		_
	• Dumpsters		. <u></u>	
	Areas with ornamental shrubs and trees Other			
	• Other			
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that			П
	nesticides were necessary			_
	Ensured that pest management professionals integrate IPM into their pest management methods	/		
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem,		,	
	preferably as haitsand granules			
	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals	/		
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply			
	nesticides whenever possible and only treated the obviously infested	_/	, _D	
	plants in the area] [
7f.	Used protective clothing or equipment when applying pesticides		/	–
7g.	Placed all pesticides in tamper-resistant bait boxes or locations that are		/_	П
-	inaccessible to children and non-target species		_	J





7.	PESTICIDE USE AND STORAGE (cont.)			
7h.	runway of the box	es 2	No	N/
7i.	they would not be exposed to the chemicals			
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters			
7k.	Ensured that parents are notified of upcoming pesticide applications through letters			
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	<u> </u>		
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	2		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate	70		
	the environment	<u> </u>		
70.	Ensured that flammable liquids are stored away from ignition sources	μ.	_	
-	Ensured that pesticides are stored in their original containers and all lids are securely fastened	7		
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	2		
8.	EVALUATING RESULTS AND RECORD KEEPING			
	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	7		
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	ב		
8c.	Ensured that each log book contains the following items:	_		
	• Copy of the pest management plan	Δ		
	• Service schedules for maintenance of buildings and grounds			
	• Current EPA-registered labels			
	Current Material Safety Data Sheets (MSDS) for each pesticide project Pest surveillance data sheets	/# ⊃v		n
	Pest surveillance data sneets Diagram noting the location of pest activity, traps, and bait stations	7	٥	



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

Name: Capitol Region Education Council School: River Street School – Marsha Yulo Annex Room or Area: all Date Completed:			
Signature: Da			_
1. OUTDOOR AIR INTAKES			
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	?S	No	N/
1b. Ensured that the ventilation system was on and operating in "occupied" mode	s S	٥	
ACTIVITY 1: OBSTRUCTIONS			
1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs,	√		
or covers	٠ د	0	
ACTIVITY 2: POLLUTANT SOURCES			
1e. Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)	ģ	0	
1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from			
air-conditioning cooling towers)	1		
1g. Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)	ì		
ACTIVITY 3: AIRFLOW			
1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic). It. Confirmed that outdoor air is entering the intake appropriately	ſ l		
2. SYSTEM CLEANLINESS			
ACTIVITY 4: AIR FILTERS	~		
2a. Replaced filters per maintenance schedule	1	u	u
blowing downstream)	l		
2c. Vacuumed filter areas before installing new filters	I	J	u
around) the air filter	i I		

2. SYSTEM CLEANLINESS (continued)

	CTIVITY 5: DRAIN PANS			
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yeş		
2g	. Cleaned drain pans	.\$2		
2h	. Checked drain pans for mold and mildew	. /		
	CTIVITY 6: COILS	_	_	_
2i.	Ensured that heating and cooling coils are clean	./🗅		
	CTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean	Ø		
2k.	Ensured that ducts are clean	7		
AC	CTIVITY 8: MECHANICAL ROOMS			
	Checked mechanical room for unsanitary conditions, leaks, and spills			
2m	. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies	/ 		
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
3a.	Ensured that air dampers are at least partially open (minimum position) Ensured that minimum position provides adequate outdoor air	7		
3b.	Ensured that minimum position provides adequate outdoor air for occupants	1 4		
AC	TIVITY 9: CONTROLS INFORMATION			
	Obtained and reviewed all design inside/outside temperature and humidity			
	requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed)	⊿		
	TIVITY 10: CLOCKS, TIMERS, SWITCHES			
3d.	Turned summer-winter switches to the correct position			
	Ensured that settings fit the actual schedule of building use (including	•	_	_
	night/weekend use)	4		
	TIVITY 11: CONTROL COMPONENTS			
3g.	Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting			4
	Checked that the line dryer prevents moisture buildup			7
3i.	Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you			
	blow down the tank)			Ø
3j.	Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions)			4
4C.	FIVITY 12: OUTDOOR AIR DAMPERS			
3k.	Ensured that the outdoor air damper is visible for inspection	7		
	Ensured that the recirculating relief and/or exhaust dampers are visible for inspection	<u>/</u>		
3m.	Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range	6		
	·			



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes 🗹	No □	N/A
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	<u>/</u>		
	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	.' ≱	o o	
	If in cooling mode, checked that the outdoor air damper goes to its minimu position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F	,		
	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight	🔾	0000	DAM P
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals	۵.	.	7
3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)			9
clos	TE: HVAC systems with water coils need protection from the cold. The freeze the outdoor air damper and disconnect the supply air when tripped. The tyge is 35°F to 42°F.	-stat	may trip	
	TIVITY 14: MIXED AIR THERMOSTATS			
3 v.	Ensured that the mixed air stat for heating mode is set no higher than 65°F	. 		
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	<i>p</i>		
AC'	TIVITY 15: ECONOMIZERS			
	Confirmed proper economizer settings based on design specifications or local practices	. #		
NO.	TE: The dry-bulb is typically set at 65°F or lower.			
3y. 3z.	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications	,		
load Dry and	TE: Economizers use varying amounts of cool outdoor air to assist with the order of the room or rooms. There are two types of economizers, dry-bulb and enterpolated by the amount of outdoor air based on outdoor temperor enthalpy economizers vary the amount of outdoor air based on outdoor temperor humidity level.	coolin thalpy ature,	V.	

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical 4d. Ensured that supply and return vents are open and unblocked NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor 4f. Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)...... 5. EXHAUST SYSTEMS ACTIVITY 19: EXHAUST FAN OPERATION 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) \Box If fans are running but air is not flowing toward the exhaust intake, check for the following:

Inoperable dampers

· Broken fan belt


Obstructed, leaky, or disconnected ductwork
Undersized or improperly installed fan



5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathroom and labs by keeping them under negative pressure (as compared to surrounding	s, kita spac	chens es).	<i>S</i> ,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	Yes □	No □	N/A
Stand outside the room with the door slightly open while checking airflow high the door opening (see "How to Measure Airflow").		ow ii	n
5c. Ensured that air is flowing toward the exhaust intake	🗗		
ACTIVITY 21: EXHAUST DUCTWORK 5d. Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition	s #	0	
6. QUANTITY OF OUTDOOR AIR			
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIO	NS		
NOTE: Refer to "How to Measure Airflow" for techniques.			
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit	. 🗷	o.	
unit	(p		
under consideration	P		0
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITI	ES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1			0
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet	Ţ	П	
the recommended levels in Table 1	7	_	_



Walkthrough Inspection Checklist

Name: Capitol Region Education Council	
School: River Street School - Marsha Yulo Annex	
Room or Area: all Date Completed: 10/22/2025	
Signature: //////	

			_				
In	st	rii	CT	Т	n	n	S

- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1.	GROUND LEVEL	Yes	No	N/A
1a.	Ensured that ventilation units operate properly	⊅		
1b.	Ensured there are no obstructions blocking air intakes	''☆		
1c.	Checked for nests and droppings near outdoor air intakes	🛱		
1d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes			a
	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	🖙^		
1f.	Ensured that vehicles avoid idling near outdoor air intakes Minimized pesticide application	⊿		
1g.	Minimized pesticide application	🗀		1
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)			
li.	Ensured that sprinklers spray away from the building and outdoor air intakes	7		
1j.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly			
2.	ROOF	•		
Whi	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist).	
2a.	Ensured that the roof is in good condition	⊄		
2b.	Checked for evidence of water ponding	Ø		
20	Checked that ventilation limits operate properly (air flows in)	🗷		
2d.	Ensured that exhaust fans operate properly (air flows out)	ˈz		
2e.	Ensured that air intakes remain open, even at minimum setting	:. 14	ш	
2f.	Checked for nests and droppings near outdoor air intakes	.(p a		
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away	′		
	from outdoor air intakes	Y		
3.	ATTIC			
39	Checked for evidence of roof and plumbing leaks	🗹 .		
3b.	Checked for evidence of roof and plumbing leaks	K	Q	
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within			
	acceptable ranges	7		
4b.	Ensured that no obstructions exist in supply and exhaust vents	7	0	
4c.	Checked for odors			
4d.	Checked for signs of mold and mildew growth	ه		

4	GENERAL CONSIDERATIONS (continued)	V	NI.	NE/A
4e. 4f.	Checked for signs of water damage		No □	D
5.	BATHROOMS AND GENERAL PLUMBING			
5a. 5b.	Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance: Water is poured down floor drains once per week (approx. 1 quart of water	1	0	0
	Water is poured into sinks at least once per week (about 2 cups of water) Toilets are flushed at least once per week	Z		
6.	MAINTENANCE SUPPLIES			
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	Þ		۵
	Ensured that vents in chemical and trash storage areas are operating properly	🗖		Ø,
6c. 6d.	Ensured that portable fuel containers are properly closed			6
7.	COMBUSTION APPLIANCES			
7c.	Checked for combustion gas and fuel odors	🗖		
8.	OTHER			
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	🔾	0 0	Ž
ou.	Determined date of last radon test			1



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

1.	WASTE MANAGEMENT	/es	Nο	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)		_	
1b.	Ensured that waste containers are lined	_ □		
1c.	Ensured that waste from art, science, vocational classes, etc., are handled separately	Z		
1d.	Labeled recycling bins clearly	Ţ		
	Ensured number of bins and dumpsters is adequate			
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	/ □2	ū	
1g.	Ensured waste containers are emptied regularly			
	Ensured appropriate waste removal schedule			
1 i.	Ensured waste is stored in a well-ventilated room	7		
	Ensured any exhaust fans in the room are operating properly			
lk.	Checked waste storage areas for odors, contaminants, or signs of vermin	7		